
RC-BIKE WORLD CHAMPIONSHIP & European Championship



2024 Rulebook

Table of contents:

1	W	/orld Championship / European Championship Alternation	3
-	1.1	Race Schedule	
2		echnical rules 1/5th Scale	
_	2.1	Wheelbase:	
	2.2	Height of the bike including rider:	
	2.3	Appearance	
	2.4	Tires/Wheels	
	2.5	Transmission	
	2.6	Aerodynamics	
	2.7	Exhaust (Nitro-class)	
	2.8	Crash Bars	
	2.9	Others	5
3	Ra	acing Classes:	6
	3.1	Electric Stock Bike	
	3.2	Super Bike	
	3.3	Nitro Bike	
	3.3	1/8 FunBike	8
	3.4	1/4 BigBike	
4	Ra	acing Rules:	
	4.1	Free Practice; Race order and duration	10
	4.2	Qualification and Finals; Race order and duration	10
5	Pe	enalties	12
	5.1	Common:	12
	5.2	Jumpstart:	12
	5.3	Shortcut:	12
	5.4	No immediate return to the pits while running a bike	12
	5.5	Negligence of marshaling duty:	12
	5.6	Unfairness:	12
6	М	liscellaneous	13
	6.1	Language	13
	6.2	Position on the rostrum:	13
	6.3	Marshals	13
7	Ot	ther Specifications (Transponder, "Lipo-safe-bag" etc.)	13
8	Pr	rotests:	13
9	Ch	hanging of the rules:	13
10) Av	wards / Prizegiving ceremony	14
11	. Lo	ocation of the World Championship Race	14
12	. Hi	istory of the voting results	15
	12.1	Sweden 2014	15
	12.2	Spain 2015	15
	12.3	Leipzig 2016	15
	12.4	Bologna 2017	15

	12.5	Macon 2018	15
	12.6	Aigen 2019	15
		Leipzig 2022	
		Austria 2023	
	_		
LЗ	Prop	osals for next Year:	16

1 World Championship / European Championship Alternation

To make it easier for Racers outside of Europe, the World Championship will be held every 2 years, starting from 2025. In the vears without a World Championship, an open European Championship will be held using the same Rulebook.

1.1 Race Schedule

The World Championship and the european Championship shall always start on Sunday and end on the following Saturday.

The Warm-Up race shall be a few weeks before the main Event, to give the Participants the chance to learn the track, and the host the opportunity to make sure he is familiar with the rules.

Only R/C motorcycles in $1/5^{th}$, $1/4^{th}$ or $1/8^{th}$ scale are allowed to participate in the race.

2 Technical rules 1/5th Scale

2.1 Wheelbase:

- Maximum distance between axles: 320mm.
- Minimum distance between axles: 280mm.

2.2 Height of the bike including rider:

- Maximum height limit: 300mm.
- Minimum height limit: 240mm.

2.3 Appearance

- The global aspect of the motorcycle must be realistic with a complete painted body shell including a painted rider with hands, feet and helmet.
- Fairing, body shell and rider parts must fit a 1/5th scale size.
- During the championship, the rider appearance must be complete for each race start.
- In the area that is used to grab the bike, no cutouts bigger than 8mm ("a finger") are allowed, except for mechanical reasons, like crash bar mounts. If there are a separated rider/upper cowling there are to be no openings in between those parts. This is to avoid marshals getting hurt.

2.4 Tires/Wheels

The tires must comply with the rules below:

- Specifically designed for 1/5th scale motorcycle use.
- Commercially available.
- In black rubber with the exception of the sidewall.
- New Tires must be available to everyone 30 days before the Warm-Up race.
- Tires must feature an embossed manufacturer ID on the sidewall.
- Every type of tire insert is allowed.
- Foam tires are prohibited.
- Only non-smelling tire additive is allowed except if prohibited by regulations of the track. Tire additive has to be applied outside of the pits, in a designated area.
- Tire warmers are allowed for all racing classes.
- Wheels with solid center (e.g. disc) are not allowed.
- Tires that consist of two halves can be split to form a new set, but both sides must be marked.

2.4.1 Rear wheel diameter (including tire):

- Maximum limit: 135mm.
- Minimum limit: 120mm.

2.4.2 Front wheel diameter (including tire):

- Maximum limit: 120mm.
- Minimum limit: 105mm.

2.5 Transmission

- Chain or belt drive is allowed.
- Direct drive is prohibited.

2.6 Aerodynamics

Any aerodynamic add-on which does not conform to the real aspect of the represented real model is prohibited.

2.7 Exhaust (Nitro-class)

 The exhaust system must be fitted on the motorcycle in such a way that the risk of injury to mechanics and marshals is minimized.

2.8 Crash Bars

- The crash bars must not be dangerous for the marshals.
- The system to fix the crash bars to the chassis must not be articulated (use of hinges, springs, dampers is prohibited).
- The system to fix the crash bars on the chassis can allow adjustment of the length of the crash bar.

2.8.1 Allowed systems:

- Standards bars (nylon, steel) with one or two fixing points on each side.
- Wheel based system.

2.8.2 Specifications for use of a wheel based system:

- Maximum wheel diameter: 20 mm.
- Material of the wheels used as crash bars must not give any adherence to the bike when in contact to the track: wood, steel, hard plastic are allowed while foam or O-rings are forbidden.

2.9 Others

- Any kind of devices for stability systems (gyro, optical or other stability controlling aid ...) are prohibited.
 Launchcontrol and/ or active wheeliecontrol are prohibited.
 Receiver, servo and/or esc with gyro are prohibited. Servo and esc has to connect directly to the Receiver.
 Penalization according to the EFRA-rules
- Anything that is not explicitly allowed is forbidden

3 Racing Classes:

3.1 Electric Stock Bike

This is a race Class defined by everyone having the same Speed, to create close racing.

Motor:	 Motor: REELY ET BRUSHLESS-MOTOR TC-04 /EB-04 #237096 https://www.conrad.com/p/model-car-brushless-motor-3650-reely-kv-rpm-per-vo-237096 Hobbywing QuicRun 3652SL G2 3250KV Product No: 30404400 Robitronic Razer ten Brushless Motor 3652 3250kV (#R01231)
	 https://www.conrad.com/p/model-car-brushless-motor-3650-reely-kv-rpm-per-vo-237096 Hobbywing QuicRun 3652SL G2 3250KV Product No: 30404400 Robitronic Razer ten Brushless Motor 3652 3250kV (#R01231) All have the same Speed, pick the one that is easiest available to you ESC 1: REELY BRUSHLESS-REGLER FIGHTER 45A/50A #704788 - Recommended ESC
	 Hobbywing QuicRun 3652SL G2 3250KV Product No: 30404400 Robitronic Razer ten Brushless Motor 3652 3250kV (#R01231) All have the same Speed, pick the one that is easiest available to you ESC 1: REELY BRUSHLESS-REGLER FIGHTER 45A/50A #704788 - Recommended ESC
	 Robitronic Razer ten Brushless Motor 3652 3250kV (#R01231) All have the same Speed, pick the one that is easiest available to you ESC 1: REELY BRUSHLESS-REGLER FIGHTER 45A/50A #704788 - Recommended ESC
	All have the same Speed, pick the one that is easiest available to you • ESC 1: REELY BRUSHLESS-REGLER FIGHTER 45A/50A #704788 - Recommended ESC
	ESC 1: REELY BRUSHLESS-REGLER FIGHTER 45A/50A #704788 - Recommended ESC
	·
ESC:	
	or 1482944 RE3LY
	You can find it at http://www.conrad.com
	https://www.conrad.com/p/model-car-brushless-speed-control-reely-car-series-50a-1482944
	ESC 2: Hobbywing QuicRun WP10BL60
	ESC 3: Robitronic Razer ten Brushless Regler 60A 2-3s (#R01222)
	ESC 4: Robitronic Razer ten Brushless Regler 50A 2-3s (#R01221)
	All the same model, pick the one that is easiest available to you
Batteries:	• Every kind of batteries i.e. NiMh (max. 6 cells), NiCd (max. 6 cells), 2s LiPo (also HV) and 2s LiFe batteries are allowed
	• The voltage of Litihium based Batteries (LiPo, LiFe,) must not exceed 4.20 volts/cell. Random checks will be made
	before the start run by race officials, (not during practice).
	If the battery exceeds 8.40 volts (4.20V/cell) the bike is not allowed out on the track and the driver will have a
	warning. If this happens more than one time the responsible driver will be disqualified from the race.
Weight:	The minimum admitted weight is 1700 grams
Brake System:	The only braking system allowed is on the rear wheel over ESC brake. Any other system
	or mechanical brake on front or rear wheel is prohibited.
Gearing:	• Free
Tyres:	According to rule 2.4.
	Beginning from the qualifying rounds, every driver has to use marked tires.
	Tire marking can be done between the heats by the technical inspection.
	2 set of front and rear tires for dry and wet conditions.
	• 1 set of front and rear tires for wet conditions. Wet tires are only allowed if the officials call out "rain race". The wet
	tire set can then be used in dry race conditions as well.
General	The SuperBike top guys (podium finishers)are not allowed to drive Stock for the next 2 Races (Worlds/Euros)

3.2 Super Bike

Chassis:	Choice of the chassis is free. It must be in accordance with the rules described in § 2.
Motor:	Any type and size of motor is allowed.
ESC:	• ESC is free.
Batteries:	 Every kind of batteries i.e. NiMh (max. 6 cells), NiCd (max. 6 cells), 2s LiPo (also HV) and 2s LiFe batteries are allowed The voltage of Litihium based Batteries (LiPo, LiFe,) must not exceed 4.20 volts/cell. Random checks will be made before the start run by race officials, (not during practice). If the battery exceeds 8.40 volts (4.20V/cell) the bike is not allowed out on the track and the driver will have a warning. If this happens more than one time the responsible driver will be disqualified from the race.
Weight:	No weight limit.
Brake System:	Mechanical front and rear brakes are allowed.
Gearing:	• Free
Tyres:	 According to rule 2.4. Beginning from the qualifying rounds, every driver has to use marked tires. Tire marking can be done between the heats by the technical inspection. 4 set of front and rear tires for dry and wet conditions.

3.3 Nitro Bike

Chassis:	• Choice of the Chassis is free. It must be in accordance with the rules described in § 2.
Motor:	2-Stroke: maximum size is 3.5 CC
	• 4-Stroke: maximum size is 10 CC
Weight:	No weight limit.
Brake System:	Mechanical front and rear brakes are allowed.
Gearing:	• Free
Gear Box:	2-stroke engine < 2.11 cm3: gear box allowed
	2-stroke engine ≥ 2.11 cm3: gear box prohibited
	4-stroke engine: gear box allowed
Tank Size:	There is no tank size limit
Exhaust System:	 Any driver facing an exhaust system failure during a race or timed practice must immediately go back to the pits to have the problem resolved. Further laps with a risky bike and/or noisy engine will make the result of such race invalid after first warning decided by the Race Director or Referee, whose decision is final.

3.3 1/8 FunBike

Participants	Minimum Number of Participants: 8
	Maximum Number of Participants: 20 (2 Heats)
Marshaling	1/8 FunBike Participants are marshaling for 1/4 BigBike Heats and vice versa.
Chassis:	Chassis, Fairing, body shell and rider parts must fit a 1/8 th scale size.
	Choice of the chassis is free.
Motor:	Any type and size of motor is allowed.
	Electric and Nitro Motors are allowed
ESC:	ESC is free.
Batteries:	 Every kind of batteries i.e. NiMh (max. 6 cells), NiCd (max. 6 cells), 2s LiPo (also HV) and 2s LiFe batteries are allowed The voltage of Litihium based Batteries (LiPo, LiFe,) must not exceed 4.20 volts/cell. Random checks will be made before the start run by race officials, (not during practice).
	• If the battery exceeds 8.40 volts (4.20V/cell) the bike is not allowed out on the track and the driver will have a warning. If this happens more than one time the responsible driver will be disqualified from the race.
Weight:	No weight limit.
Brake System:	Mechanical front and rear brakes are allowed.
Gearing:	• Free
Tyres:	 Must be Commercially available. Size must fit to 1/8th scale size No Foam tires allowed Beginning from the qualifying rounds, every driver has to use marked tires. Tire marking can be done between the heats by the technical inspection. 2 set of front and rear tires for dry and wet conditions.

3.4 1/4 BigBike

Participants	Minimum Number of Participants: 8
	Maximum Number of Participants: 20 (2 Heats)
Marshaling	1/4 BigBike Participants are marshaling for 1/8 FunBike Heats and vice versa.
Chassis:	Chassis, Fairing, body shell and rider parts must fit a 1/4 th scale size.
	Choice of the chassis is free.
Motor:	Any type and size of motor is allowed.
	Electric and Nitro Motors are allowed
ESC:	ESC is free.
Batteries:	 Every kind of batteries i.e. NiMh (max. 6 cells), NiCd (max. 6 cells), 2s LiPo (also HV) and 2s LiFe batteries are allowed The voltage of Litihium based Batteries (LiPo, LiFe,) must not exceed 4.20 volts/cell. Random checks will be made before the start run by race officials, (not during practice).
	• If the battery exceeds 8.40 volts (4.20V/cell) the bike is not allowed out on the track and the driver will have a warning. If this happens more than one time the responsible driver will be disqualified from the race.
Weight:	No weight limit.
Brake System:	Mechanical front and rear brakes are allowed.
Gearing:	• Free
Tyres:	 Must be Commercially available. Size must fit to 1/4th scale size No Foam tires allowed Beginning from the qualifying rounds, every driver has to use marked tires. Tire marking can be done between the heats by the technical inspection. 1 set of front and rear tires for dry and wet conditions.

4 Racing Rules:

4.1 Free Practice; Race order and duration

4.1.1 Race timing:

Timing / race timing schedule / rolling forward procedure / warning time will be defined and communicated in ADDENDUM.

4.1.2 All Classes

- Tracktime: The track should be open in the mornings and evenings before/after the official race schedule for fun driving (based on time limits of local track). Track is closed at lunch time.
 - First day of WC is free practice without groups. Second day of WC is free practice without groups but max. number of drivers on rostrum controlled with numbered cards. Third day in groups.
- To determine the training series, the result of the previous RC Bike World Championship will be used.
- New entrants will be added in alphabetical order at the end.
- The three best laps in consecutive order will give the start positions for qualifying runs.

4.2 Qualification and Finals; Race order and duration

4.2.1 All Classes

Training and qualifying runs will be started by "flying start".

4.2.2 Electric 1/5 Bikes

Qualification:

- Duration of each qualifying run is 10 minutes.
- Point-system will be used for the total result.
- For qualification the round by round point scheme will be used where all drivers will be awarded points based on their finish against all others for each round. The number of Rounds to count are as follows:
 - Six rounds three to count
 - o Five Rounds three to count (Minimum for World Championship)
 - o Four Rounds two to count
 - o Three Rounds two to count
 - Two Rounds one to count.
 - Less than two Rounds completed event null and void. All other qualifying round scores will be discarded. Qualifying Round has to be completed for any heats in that round to be counted.
- If the intended maximum number of rounds cannot be completed, due to weather or unforeseen circumstances, the number of rounds to count will follow the same format. Fastest competitor (based on laps & time) in each round will score zero (0) points, second place 2 points, third place 3 points, fourth place 4 points and so on. If two (or more) competitors achieve an equal time in any round they will be awarded equal points. The next competitor not included in the tie will be awarded points corresponding to his position in the particular round.
- In the event of a tied position the driver with the single highest finishing position in either of the best two rounds that counted will be awarded the tie. In the event of a continuing tie then the laps and times from the best result in points will be compared. The driver with the fastest laps and time will be awarded the tie. In the case of a continuing tie, then the times from the second best scores will be compared.
- When a driver incurs a penalty which results on his time and therefore points in any round being disallowed, then all drivers below the disallowed position will move up one place. (In the event the penalized driver is a tie on obtained points the one with the best time will be lost).
- In order to give drivers an equal chance during qualification, organizer may reseed these drivers that are obviously way above or under the average in their group into a more suitable heat whenever possible.
- In the event of changing weather conditions during the round, the whole round is to be cancelled for that class. (eg. Group 1 and 2 of Superbike are running in dry conditions, Group3 in wet conditions Whole round is cancelled) If the weather only affects one class, only that classes round is cancelled (eg. Afterwards Group 1 and 2 of Stockbike are both running in wet conditions, the round is counted, because the conditions are the same for everyone in that Class)
- Position 1.-10. goes to Final A
- Position 11.-20. goes to Final B.

Version 2 17.11.2023

• Position 21.-30. goes to Final C and so on.

Finals:

- Duration of all finals are 10 minutes.
- Start order will be the same for every final.
- All finals will be driven three times.
- All finals will be started in "Le Mans" type with a 3 meter interval between each bike.
- 30 second warning at which time all bikes must be present for the starter to assemble the grid will be applied. Missing numbers or late arrival at the grid will result in a start from the back of the grid.
- Point system will be used for the finals.
- The winner of a final gets 1 point; the second gets 2 points and so on up to 10 points for the 10th driver. In the event of a tie regarding time in a final, the points will be equally awarded to each driver and the next driver not tying will be given two points more
- In the event of a tied position the driver with the single highest finishing position in either of the best 2 finals that counted will be awarded the tie. In the event of a continuing tie then the laps and times from the highest finishing position will be compared.
- When some drivers of a final do not run a final, they will be awarded the remaining points in the order of their bike numbers.
- The finalist with the lowest number of points will be the winner of the final.
- The winner determined from the combined A finals will be the World Champion. If the A finals cannot be completed, the awards will be made based on the final Qualifying positions.

4.2.3 Nitro Bikes

Qualification:

- Duration of each qualifying run will be 10 minutes. The best result counts.
- ODD numbers (1-13) position 1-7 in ½ "A". Even numbers (2-14) position 1-7 in ½ "B"
- ODD numbers (15-27) position 1-7 in %-final "A". Even numbers (16-28) position 1-7 in %-final "B".
- ODD numbers (29-) gets position 1-7 in %-final "A" and so on.

Finals:

- The main-final will be started in "Le Mans" type with a 3 meter interval between each bike.
- Each sub-final will be started from the start/finish line with mechanics pushing the bike in start order from previous sub-final/qualification.
- 30 second warning at which time all bikes must be present for the starter to assemble the grid will be applied. Missing numbers or late arrival at the grid will result in a start from the back of the grid.
- Sub-finals before semi-finals will be started one-time A and one-time B. The 3 best drivers from each sub-final A and B goes up to the next level (1/32 -> 1/16 -> 1/8 etc.).

Length of finals:

- All finals are only to be driven once.
- Finals lower than "semi": Duration will be 10 minutes.
- "Semi"-finals: Duration will be 20 minutes with one mandatory refueling stop.
- "Main"-final: Duration will be 30 minutes with one mandatory refueling stop.
- The 4 first semi-finalists of each semi-final A and B moves up to the Final grid to positions 1 to 8
- Position 9 and 10 will be determined by the fastest time of the 12 remaining semifinalists.

4.2.4 1/8 and 1/4 Bikes

Practise:

• After the 1/5 Scale Practise is done, the track should be open only for 1/8 scale bikes for a specified amount of time, followed by a timeslot for 1/4 Bikes

Qualification:

- Duration of each qualifying run will be 10 minutes. The best result counts.
- 2 qualifying runs should be held on Thursday afternoon, after the 1/5 scale schedule.

Finals:

- Finals are held on Thursday (after Qualification) and Friday, after the 1/5 scale schedule.
- Duration of all finals are 10 minutes.
- Start order will be the same for every final.
- All finals will be driven three times, two to count.
- All finals will be started in "Le Mans" type with a 3 meter interval between each bike.
- 30 second warning at which time all bikes must be present for the starter to assemble the grid will be applied. Missing numbers or late arrival at the grid will result in a start from the back of the grid.
- Point system will be used for the finals.
- The winner of a final gets 1 point; the second gets 2 points and so on up to 10 points for the 10th driver. In the event of a tie regarding time in a final, the points will be equally awarded to each driver and the next driver not tying will be given two points more.
- In the event of a tied position the driver with the single highest finishing position in either of the best 2 finals that counted will be awarded the tie. In the event of a continuing tie then the laps and times from the highest finishing position will be compared.
- When some drivers of a final do not run a final, they will be awarded the remaining points in the order of their bike numbers.
- The finalist with the lowest number of points will be the winner of the final.
- The winner determined from the combined A finals will be the World Champion. If the A finals cannot be completed, the awards will be made based on the final Qualifying positions.

5 **Penalties**

5.1 Common:

• Depending on the track, it can be quite difficult for RC bikes to pass through the pits. Du to this fact, penalties for Jumpstart, Shortcutting or Unfairness will be applied as time reduction and not with a pass through or stop go penalty.

5.2 Jumpstart:

• 10 seconds will be added during the race (qualifying heats and or finals)

5.3 Shortcut:

• 1 lap will be reduced during the race (qualifying heats or and finals)

5.4 No immediate return to the pits while running a bike

Experiencing a failure, risk for marshals "physical integrity" (exhaust system failure, burning batteries...):

• Cancellation of the heat after first warning.

5.5 Negligence of marshaling duty:

• 1 lap will be reduced from the best race.

5.6 Unfairness:

10 seconds will be added during the race (qualifying heats or and finals).

6 Miscellaneous

6.1 Language

• Official Language during the Event is English.

6.2 Position on the rostrum:

• Starting at the finals the fastest driver after qualification chooses his/her position on the rostrum, then the second fastest, then the 3rd fastest and so on in consecutive order.

6.3 Marshals

- Marshal technique, duties and etiquette will be specified at the drivers briefing at which attendance is mandatory for all entrants.
- Marshals must wear high visibility jackets and security gloves. Fluorescents jackets and gloves will be provided by the organization and are available at each marshalling point.
- Marshals must recover and launch the machines as instructed at Drivers Briefing.
- Marshals must be in place by the announcement of 2 minutes prior to race start, and remain in position until Race Control indicates that the race is over and all vehicles have finished.
- Penalties (ranking of penalties at discretion of the Race Director from time penalty to exclusion of the meeting) will be made for being late or absent at the marshal position or leaving the marshal before the "Race-Over-Signal". The race will not start before every marshal is in place.

7 Other Specifications (Transponder, "Lipo-safe-bag" etc.)

- Every type of remote control which is commercially available is allowed if it is according to the rules for radio equipment used in the country of the World Championship.
- Use of a personal transponder is mandatory. The same transponder number can be used in different categories.
- Repairs of a damaged model on the race track is strictly prohibited.
- Always follow the assignments of the race director.
- Each bike goes directly from the track to the technical inspection after each race.

8 **Protests**:

- Appreciation is to give the drivers the possibility to demand on the adherence by the rules.
- The Team manager committee will decide about the submitted protests by simple voting.
- Protest can only be submitted by the concerned driver. Protest must be submitted written and at latest 15 minutes after the affected run. The protest must be submitted to the own Team manager first.
- The Team manager informs the Race director and he will call a Team manager Meeting.
- Protest charge is € 25.00 (twenty five euro).
- If the protest is declined by the Team managers, the protest charge will be deducted.
- If the protest is approved, the protest submitter will get the protest charge back.
- Against this decision no more protest is allowed.
- The decision of the Team manager committee is final.
- Protests must be decided immediately by the Team manager Committee.

For example: There is a protest because of violation against the rules in 1/8 Final B. If the decision is positive the up climbers would change. That means the decision must be made before the start of the 1/4 final B.

9 **Changing of the rules:**

- Changing the rules during the event is prohibited.
- The rules for next Years Event should be finalized and released on the 1st of November.
- Rules can be changed during the Year with a 2/3rd Majority in the TeamManager Whatsapp Group.

10 Awards / Prizegiving ceremony

Electric Bikes

Prizes to all 10 A-finalists and top 3 for the lower finals will be given.

Nitro Bikes

• Prizes to all the main finalists will be given.

1/4 and 1/8 Bikes

• Prizes to Top 3 main finalists will be given.

11 Location of the World Championship Race

- Every Country has the right to apply for hosting the World Championship.
- The Application should be given to the Team Manager of that Country, who will present it at the Team Manager meetings.
- Locations for World Championship races are fixed two years ahead (so in 2015 the host for the race in 2017 will be decided)
- If more than one Country applies to host the race, Countries that did not have a World Championship race in the past are prioritized. If all Countries that apply already hosted a race, the Country whose race was farther in the past is prioritized.
- The choices will be presented to their drivers by the Team Managers, and the results will be voted in the Team Manager Meeting.
- History of past World Championship Races:
 - 2006: England
 - 2007: Italy
 - 2008: Spain
 - 2009: Germany
 - 2010: France
 - 2011: Switzerland
 - 2012: San Marino
 - 2013: Austria
 - 2014: Sweden
 - 2015: Spain
 - 2016: Germany
 - 2017: Italy
 - 2018: France
 - 2019: Serbia
 - 2020: Covid break
 - 2021: Covid break
 - 2022: Germany
 - 2023: Austria
- Confirmed future races
 - 2024: France World Championship
 - 2025: Australia World Championship
 - 2026: Switzerland European Championship (not confirmed)
 - 2027: Italy World Championship

12 History of the voting results

12.1 Sweden 2014

- Allow the "Wet" Stockcombo in dry races as well YES (8:3)
- Change Start position in the finals for each run NO (10:1)
- Limit Number of Superbike Tires NO (6:2)
- Change Number of Stock Tires to 3 Dry + 1 Wet Set YES (9:2)
- Vote for World Championship Location 2016 Leipzig
- Change Qualification mode to only count best run NO (9:2)
- Change Stock weight to 1700g NO (5:5)
- Mark Stock tires during the event YES (9:2)
- Add a History List of World Championship Locations to the rules, so that a country that never had one or had it a long time ago is prioritized YES

12.2 Spain 2015

- 1. 4 + 1 tyres for superbike only from Quali.
- 2. World Championship from Su. till Sa.
- 3. World Championship Track closed one week before event for participating drivers.
- 4. Stock 1700g minimum allowed.
- 5. SuperBike top guys (podium) not allowed to drive Stock for 3 years.
- 6. Italy World Championship 2017
- 7. Change 4.2.2 "three to count" because it was wrong (was two)

12.3 Leipzig 2016

- 1. Tyre limit will be reduced from 4+1 (dry + rain) to 4 in Superbike and from 3+1 to 3 in Stock.
- 2. New tyres for every driver only out of a central box at technical inspection.
- 3. First 2 days of WC is free practice without groups but max. number of drivers on rostrum controlled with numbered cards. Third day in groups.
- 4. Track open in the morning/evening before/after the official race schedule for fun driving (based on time limits of local track). Track closed at lunch time.

12.4 Bologna 2017

- 1. Tyre limit will be change from from 3 to 2(dry) +1 (wet) in Stock.
- 2. HV Lipo also possible. Nominal voltage change from 7.4V to 7.6V
- 3. Funbike 1:8 will be start. It is no official part from the WC 1:5.
- 4. Stock motor should change. Lehner 13.5 or Hobbywing 13.5 => Start 2019
- 5. ESC only Conrad and new Hobbywing. No Senor, Water proof, max 50 A 7,6V => 2019

12.5 Macon 2018

1. Tires that consist of two halves can be split to form a new set, but both sides must be marked.

12.6 Aigen 2019

- 1. Clarification: Added for lipo "(also HV)" to stock, superbike and Funbike. Not new, it was from 2017 Bologna
- 2. Added Sunday to Saturday also for warmup.

12.7 Leipzig 2022

- 1. 1/4 Scale Bike Class is added, minimum Starter 8, 1 Set of Tires, Running outside of Timetable
- 2. Proposal to run the World Championship every 2nd Year, alternating with a European Championship Race following the same Rules -> will be voted in Aigen 2023
- 3. Stock Combo -> Proposal for 3000kV, No Sensor, Waterproof Hobbywing ESC. Test System will be provided in Aigen, with Motortester.

12.8 Austria 2023

- 1. Definition of Stock Class, Beginner or Racing Class: Racing Class
- 2. Stock Class: Force Winner to move up to Superbike: No
- 3. Stock class: Allow Hobbywing Motor: Yes
- 4. Nitro Class: Change to 3x 10 Minute finals: No
- 5. Nitro Class: Tire rule same as Stock: No
- 6. Superbike/Stock class: Change from 3x 10 Minutes to longer finals (2x 15 Minutes): Yes, but needs more Details in regards to how to program it into the Timekeeping Software
- 7. Rulebook: Finished by 1st November, Changes possible during the year with 2/3rd Majority: Yes
- 8. World Championship every 2 Years, alternating with European Championship: Yes, from 2026

13 Proposals for next Year:

- 1. Nitro Qualification same as Electric classes, round based
- 2. Electric Classes (Superbike, Stockbike): Change from 3x10 Minutes to longer finals Details for timekeeping Software